	Hits	Search Text	DBs
1	11674	repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	4543	((375/354 or 375/367).ccls.) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	3870	((375/354 or 375/367).ccls.) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	26	((375/354 or 375/367).ccls.) and repeat and (sync or synchronization or synchronize) and (random or pseudo-random) and filter and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	91	((375/354 or 375/367).ccls.) and (repeat or repeater or repetition or repeats) and (sync or synchronization or synchronize or symchronizations or synchronizes) and (random or pseudo-random) and (filter or filters) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
6	48	((375/354 or 375/367).ccls.) and (repeat or repeater or repetition or repeats) and (sync or synchronization or synchronize or symchronizations or synchronizes) and (random or pseudo-random) and pn and (filter or filters) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	8	"5218620".URPN.	USPAT
8	48	((375/354 or 375/367).ccls.) and (repeat or repeater or repetition or repeats) and (sync or synchronization or synchronize or synchronizations or synchronizes) and (random or pseudo-random) and pn and (filter or filters) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	24	((375/354 or 375/367).ccls.) and (sync or synchronization or synchronize or synchronizations or synchronizes) and (random or pseudo-random) and (pn with (filter or filters)) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	0	((375/354 or 375/367).ccls.) and (pn with each with (filter or filters)) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	0	((375/354 or 375/367).ccls.) and (pn with each with (slicer or slicers or filter or filters)) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	0	(pn with each with (slicer or slicers or filter or filters)) and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	1136	(pn with (slicer or slicers or filter or filters)) and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	42	((375/354 or 375/367).ccls.) and (pn with (slicer or slicers or filter or filters)) and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	7	("5003552" | "5301206" | "5375141" | "5495509" | "5572514" | "5583884" | "5619527").PN.	USPAT
16	3454	repeat and (sync or synchronization or synchronize) and (random or pseudo-random) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	87	(repeat with pn) and (sync or synchronization or synchronize) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	80	(repeat with pn) and (sync or synchronization or synchronize) and filter and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	6	(repeat with pn) and epoch and (sync or synchronization or synchronize) and filter and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
20	274	buckner.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	5	"5509037".URPN.	USPAT
22	3	("4012598" | "4860283" | "5022056").PN.	USPAT
23	N/A	(sync or synchronization or synchronize) and ((random or pseudo-random) with (repeat or repetition) with pn) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	8	(sync or synchronization or synchronize) and ((random or pseudo-random) with (repeat or repetition) with pn) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	8	(sync or synchronization or synchronize) and ((random or pseudo-random) with (repeat or repetition) with pn) and filter and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	17	"3731198".URPN.	USPAT
27	17	"3731198".URPN.	USPAT
28	18	((random or pseudo-random) with (repeat or repetition) with pn) and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	27	((random or pseudo-random or randomize or randomizes or randomization) with (repeat or repetition or repeats) with pn) and (((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
30	30	((random or pseudo-random or randomize or randomizes or randomization) with (repeat or repetition or repeats or repetitions) with pn) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	12	(((random or pseudo-random or randomize or randomizes or randomization) with (repeat or repetition or repeats or repetitions) with pn) and ((@rlad or @prad or @ad)<"20000519")) not (((random or pseudo-random) with (repeat or repetition) with pn) and ((@rlad or @prad or @ad)<"20000519"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	14	time adj shift adj pn	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	13	(time adj shift adj pn) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	10	("5463660" | "5563907" | "5719900" | "5764690" | "5881056" | "5933763" | "6067313" | "6188679" | "6192042" | "6212223").PN.	USPAT
35	1	"6411610".URPN.	USPAT

	Hits	Search Text	DBs
36	61	((375/354 or 375/367 or 375/343).ccls.) and (repeat or repeater or repetition or repeats) and (sync or synchronization or synchronize or symchronizations or synchronizes) and (random or pseudo-random) and pn and (filter or filters) and ((@rlad or @prad or @ad)<"20000519")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	13	("4270179" | "4593378" | "4937775" | "5168459" | "5172334" | "5442580" | "5675608" | "5982810" | "6005903" | "6229843" | "6366938" | "6401106" | "6411610").PN.	USPAT
38	13	("4270179" | "4593378" | "4937775" | "5168459" | "5172334" | "5442580" | "5675608" | "5982810" | "6005903" | "6229843" | "6366938" | "6401106" | "6411610").PN.	USPAT
39	102	(repeat$5 or repet$5) with pn	DERWENT
40	5	(repeat$5 or repet$5) with pn with (random$5 or psuedo-random$5 or psuedorandom$5)	DERWENT
41	71	(repeat$5 or repet$5) with code$5 with (random$5 or psuedo-random$5 or psuedorandom$5)	DERWENT
42	21	(repeat$5 or repet$5) near5 code$5 near5 (random$5 or psuedo-random$5 or psuedorandom$5)	DERWENT

	Hits	Search Text	DBs
43	1	"6512787".pn.	USPAT
44	52	(repeat$5 or repet$5) with (pn or nois$5 or psuedo-noise$5 or psuedonoise$5) with (random$5 or psuedo-random$5 or psuedorandom$5)	DERWENT
45	55	(repeat$5 or repet$5) with (pn or nois$5 or psuedo-noise$5 or psuedonoise$5 or pseudo-noise$5 or pseudonoise$5) with (random$5 or psuedo-random$5 or psuedorandom$5 or pseudo-random$5 or pseudorandom$5)	DERWENT
46	1	"6601078".pn.	USPAT
47	0	"6601078".URPN.	USPAT
48	13	("4270179" | "4593378" | "4937775" | "5168459" | "5172334" | "5442580" | "5675608" | "5982810" | "6005903" | "6229843" | "6366938" | "6401106" | "6411610").PN.	USPAT
49	13	("4270179" | "4593378" | "4937775" | "5168459" | "5172334" | "5442580" | "5675608" | "5982810" | "6005903" | "6229843" | "6366938" | "6401106" | "6411610").PN.	USPAT

	Hits	Search Text	DBs
50	38	(US-6601078-$ or US-6512787-$ or US-6373862-$ or US-6366938-$ or US-6356607-$ or US-6256337-$ or US-6069915-$ or US-3731198-$ or US-6577689-$ or US-5590160-$ or US-5218620-$ or US-5574754-$ or US-5517518-$ or US-5504787-$ or US-6570909-$ or US-5862172-$ or US-5583884-$ or US-5509037-$ or US-5349611-$ or US-6121926-$ or US-6510387-$ or US-6484097-$ or US-6453237-$ or US-6411610-$ or US-5881056-$ or US-6229843-$).did. or (US-6005903-$ or US-5982810-$).did. or (US-6512787-$ or EP-1215505-$ or WO-9515064-$ or US-5430759-$ or US-4918706-$ or BE-827789-$ or EP-438199-$ or EP-234883-$ or GB-2178535-$ or DE-2537937-$).did.	USPAT; DERWENT

	Hits	Search Text	DBs
51	54	(US-6601078-$ or US-6512787-$ or US-6373862-$ or US-6366938-$ or US-6356607-$ or US-6256337-$ or US-6069915-$ or US-3731198-$ or US-6577689-$ or US-5590160-$ or US-5218620-$ or US-5574754-$ or US-5517518-$ or US-5504787-$ or US-6570909-$ or US-5862172-$ or US-5583884-$ or US-5509037-$ or US-5349611-$ or US-6121926-$ or US-6510387-$ or US-6484097-$ or US-6453237-$ or US-6411610-$ or US-5881056-$ or US-6229843-$).did. or (US-6005903-$ or US-5982810-$).did. or (US-6512787-$ or EP-1215505-$ or WO-9515064-$ or US-5430759-$ or US-4918706-$ or BE-827789-$ or EP-438199-$ or EP-234883-$ or GB-2178535-$ or DE-2537937-$).did. and rf and transmi$5	USPAT; DERWENT
52	62937	(rf and transmi$5) and @ad<"20000519"	USPAT; DERWENT
53	4543	(rf and transmi$5) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT; DERWENT
54	4324	(rf and transmi$5) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT

	Hits	Search Text	DBs
55	3056	((375/354 or 375/367).ccls.) and (rf and transmi$5) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT
56	3044	((375/354 or 375/367).ccls.) and (rf and transmi$5).ti. and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT
57	3044	((375/354 or 375/367).ccls.) and (rf.ti. and transmi$5.ti.) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT
58	3044	((375/354 or 375/367).ccls.) and (rf.TI. and transmi$5.TI.) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT
59	3044	((375/354 or 375/367).ccls.) and (rf.TI. and transmitter.TI.) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT
60	3044	((375/354 or 375/367).ccls.) and ("rf".TI. and "transmitter".TI.) and repeat and (sync or synchronization or synchronize) and random or pseudo-random and filter and @ad<"20000519"	USPAT
61	54	"rf".TI. and "transmitter".TI.	USPAT

	Hits	Search Text	DBs
62	44	"rf".TI. and "transmitter".TI. and @ad<"20000519"	USPAT
63	1	"rf".TI. and "transmitter".TI. and sync$10.TI. and @ad<"20000519"	USPAT
64	44	"rf".TI. and "transmitter".TI. and @ad<"20000519"	USPAT
65	0	"rf".TI. and "transmitter".TI. and "sync$10.abs" and @ad<"20000519"	USPAT
66	1	"rf".TI. and "transmitter".TI. and sync$10.ab. and @ad<"20000519"	USPAT
67	0	"rf".TI. and "transmitter".TI. and seq$10.ti. and @ad<"20000519"	USPAT
68	1	"rf".TI. and "transmitter".TI. and seq$10.ab. and @ad<"20000519"	USPAT
69	20	"rf".TI. and "transmitter".ab. and seq$10.ab. and @ad<"20000519"	USPAT
70	4	"rf".ab. and "transmitter".ti. and seq$10.ab. and @ad<"20000519"	USPAT
71	0	"rf".ab. and "transmitter".ti. and sync$10.ab. and @ad<"20000519"	USPAT
72	48	"rf".ab. and "transmitter".ab. and sync$10.ab. and @ad<"20000519"	USPAT
73	36	"rf".ab. and "transmitter".ab. and sync$10.ab. and seq$10 and @ad<"20000519"	USPAT
74	66	"rf".ab. and "transmitter".ab. and (sync$10 with seq$10) and @ad<"20000519"	USPAT
75	0	rf with transmitting with sync$10 with sequenc$5 with PN and @ad<"20000519"	USPAT
76	0	rf with transmitting with sync$10 with sequenc$5 with PN and @ad<"20000519"	USPAT

	Hits	Search Text	DBs
77	21	rf and (transmitting with sync$10 with sequenc$5 with PN) and @ad<"20000519"	USPAT
78	87	rf and (transmit$10 with sync$10 with sequenc$5 with PN) and @ad<"20000519"	USPAT
79	21	rf and (transmitting with sync$10 with sequenc$5 with PN) and @ad<"20000519"	USPAT
80	9	rf and transmit$10.TI. and (sync$10 with sequenc$5 with PN) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	9	rf and transmit$10.TI. and (sync$10 with sequenc$5 with PN) and @ad<"20000519"	USPAT
82	17	rf and transmi$10.TI. and (sync$10 with sequenc$5 with PN) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	21	(cyclic$7 near2 synchron$7 near2 shift$7) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	21	(cyclic$7 near2 synchron$7 near2 shift$7) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	1198	(cyclic$7 near2 synchron$7) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	1198	(cyclic$7 near2 synchron$7) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
87	15	(cyclic$7 near2 synchron$7) and (pn or pseudo$1nois$7) and (filter$7 or slic$7) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	39	(cyclic$7 near2 (pn or pseudo$1nois$7)) and (filter$7 or slic$7) and @ad<"20000519"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	37	S87 not S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	32	(cyclic$7 near2 (pn or pseudo$1nois$7)) and (filter$7 or slic$7) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
91	148	("3604911" | "3975628" | "4426712" | "4445118" | "4463357" | "4578678" | "4667203" | "4701934" | "4754465" | "4785463" | "4809005" | "4821294" | "4890233" | "4894662" | "4894842" | "4992720" | "4998111" | "5014066" | "5018088" | "5036329" | "5043736" | "5108334" | "5148042" | "5153591" | "5179724" | "5202829" | "5225842" | "5253268" | "5276765" | "5293170" | "5293398" | "5297097" | "5311195" | "5323164" | "5331329" | "5343209" | "5345244" | "5347536" | "5352970" | "5363030" | "5378155" | "5379224" | "5396515" | "5402346" | "5402347" | "5410747" | "5416712" | "5418818" | "5420593" | "5440313" | "5450344" | "5498239" | "5504684" | "5546445" | "5548613" | "5550811" | "5568473" | "5577023" | "5577025" | "5592173" | "5594453" | "5608722" | "5623485" | "5625668" | "5640429" | "5640431" | "5642377" | "5644591" | "5649000" | "5650792" | "5654718" | "5663734" | "5663735" | "5689814" | "5722061" | "5734674" | "5734966" | "5737329" |	US-PGPUB; USPAT; USOCR

		"5739596" | "5749067" | "5781156" | "5784695" | "5786789" | "5812087" | "5825327" | "5828694" | "5831574" | "5832021" | "5841396" | "5845203" | "5854605" | "5862465" | "5867535" | "5867795" | "5872540" | "5874914" | "5877724" | "5877725" | "5881371" | "5883594" | "5884214" | "5889474" | "5903654" | "5907809" | "5909640" | "5917444" | "5917829" | "5920283" | "5923703" | "5924024" | "5926131" | "5936572" | "5943363" | "5945944" | "5956328" | "5963582" | "5970084" | "5977909" | "5982324" | "5987016" | "5991309" | "5991613" | "5995537" | "5999124" | "6002362").PN. OR ("6002363" | "6002709" | "6009551" | "6016119" | "6023462" | "6041222" | "6047016" | "6047017" | "6049715" | "6052081" | "6061018" | "6064336" | "6064688" | "6075809" | "6104338" | "6104340" | "6107960" | "6111540" | "6131067" | "6133871" | "6133873" | "6133874" | "6150980").PN. OR ("6714158").URPN.	
92	40	S90 and (cyclic$7 or circul$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
93	63	((cyclic$7 or circul$7) near2 (pn or pseudo$1nois$7)) and (filter$7 or slic$7) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	71	((match$7 or equal$7) near2 (filter$7 or slic$7) near2 (pn or pseudo$1nois$7)) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	0	((filter$7 or slic$7) near2 match$7 near2 (unshift$7) near2 (pn or pseudo$1nois$7)) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	0	((filter$7 or slic$7) near2 (un$1shift$7) near2 (pn or pseudo$1nois$7)) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	0	((filter$7 or slic$7) near7 (un$1shift$7) near7 (pn or pseudo$1nois$7)) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	6	((375/354 or 375/367).ccls.) and ((match$7 or equal$7) near2 (filter$7 or slic$7) near2 (pn or pseudo$1nois$7)) and @ad<"19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB